

# 1660 and 2260 Angle Grinders

**Cleco<sup>®</sup>**



# NEW Cleco®

## 1660 & 2260 Angle Grinders

For applications requiring **maximum material removal** and **ergonomics**, The New Cleco® 1660 and 2260 Angle Grinders are the solution.

Engineered for heavy-use industrial applications, this product is built to deliver unmatched productivity from an angle grinder.

## QUALITY

The Cleco® Angle Grinders are engineered for maximum reliability. All products are 100% tested to ensure the highest quality.

*Cleco Angle Grinders require less maintenance and have more user "up time" to ensure the most from your investment.*



## SAFETY

All Cleco Angle Grinders come standard with safety lock throttle lever, industrial governor, and CAGI compliant guards.

*Safety is of the utmost importance in any work environment. Cleco Angle Grinders meet the highest safety standards.*

## VERSATILITY

- Reversible Throttle Handle
- Dual Auxiliary Handle positions
- Full range of guards to accommodate all common abrasives.
- Rotatable exhaust

*Cleco Angle Grinders can be easily and quickly configured for a variety of user preferences and applications.*

## ERGONOMICS

- Dual auxiliary handle positions
- Ergonomic designed throttle handle
- "Weight Forward" motor architecture

*Improved ergonomics with Cleco Angle Grinders enable a more efficient usage and higher operator productivity.*





**2260**

## POWER

1.6HP (1.2kW) or 2.2HP (1.6kW) vane motors are engineered for maximum sustained power.

*Cleco Angle Grinders provide maximum power to generate maximum material removal.*

## DURABILITY

- Streamlined Angle Head
- All metal housings
- Advanced spiral bevel gears
- Reinforced auxiliary handle

*Cleco Angle Grinders withstand the most abusive environments with superior life.*




**1660**

# PRODUCT SPECIFICATIONS



MODEL	DESCRIPTION	MAXIMUM FREE SPEED		POWER*		OUTPUT CONFIGURATION					HEIGHT**		WEIGHT		AIR INLET	SCFM @ F/S	
		rpm		hp	kW	TERMINATION	Abrasive Size	Type 27	Type 27/42	Type 27/29	Type 1/41	in	mm	lbs			kg
<b>1.6HP (1.2kW) SERIES</b>																	
1660AGL-04	Right Angle Grinder	12,000		1.6	1.2	3/8"-24 External Thread	4" (100mm)	X	X		X	2.7	68.6	4.3	2.0	1/2"	21.9
1660AGL-45	Right Angle Grinder	12,000		1.6	1.2	5/8"-11 External Thread	4.5" (115mm)	X	X	X	X	2.7	68.6	4.3	2.0	1/2"	21.9
1660AGL-05	Right Angle Grinder	12,000		1.6	1.2	5/8"-11 External Thread	5" (125mm)	X	X	X	X	2.7	68.6	4.3	2.0	1/2"	21.9
1660AGL-05-M14	Right Angle Grinder	12,000		1.6	1.2	M14 External Thread	5" (125mm)	X	X	X	X	2.7	68.6	4.3	2.0	1/2"	21.9
<b>2.2HP (1.6kW) SERIES</b>																	
2260AGL-06	Right Angle Grinder	8,400		2.2	1.6	5/8"-11 External Thread	6" (150mm)	X	X		X	2.9	73.7	7.3	3.3	1/2"	33.6
2260AGL-07	Right Angle Grinder	8,400		2.2	1.6	5/8"-11 External Thread	7" (180mm)	X	X		X	2.9	73.7	7.3	3.3	1/2"	33.6

\*All tools performance rated at 90psi (6.2 bar)  
\*\*Height measured over spindle



## GUARD OPTIONS



**United States**  
Apex Tool Group  
670 Industrial Drive  
Lexington, SC 29072  
Phone: +1 800 845 5629  
Fax: +1 803 358 7681  
[www.apexpowertools.com](http://www.apexpowertools.com)

**Germany**  
Apex Tool Group  
GmbH & Co.  
Industriestraße 1  
73463 Westhausen  
Germany  
Phone: +49 (0) 73 63 81 0  
Fax: +49 (0) 73 63 81 222  
[www.apexpowertools.eu](http://www.apexpowertools.eu)

**China**  
Apex Power Tool Trading  
(Shanghai) Co., Ltd  
Building A8, No. 38  
Dongsheng Road  
Pudong, Shanghai  
China 201201  
Phone: +86 21 60880320  
Fax: +86 21 608803313  
[www.aptpowertools.com.cn](http://www.aptpowertools.com.cn)

**India**  
Apex Power Tools India  
Private Limited  
Gala No. 1, Plot No. 5  
S. No. 234, 235 & 245  
Indialand Global Industrial Park  
Taluka-Mulsi, Phase I  
Hinjarwadi, Pune 411057  
Maharashtra, India  
Phone: +91 20 66761111

**Brazil**  
Apex Tool Group  
Ind. Com. Ferram, Ltda  
Av. Liberdade, 4055  
Zona Industrial Iporanga  
Sorocaba, São Paulo  
CEP# 18087-170  
Brazil  
Tel: +55 15 2383929  
Fax: +55 15 2383260

**Mexico**  
Apex Tool Group Manufacturing  
México S. de RL de CV  
Vialidad El Pueblito #103  
Parque Industrial Querétaro  
Querétaro, QRO CP# 76220  
Mexico  
Tel: +52 (442) 211 3800  
Fax: +52 (800) 685 5560

